



Module 8: References

Important Notice: this work may not be a Commonwealth publication or product.

The views expressed in this work are the views of its author(s) and not necessarily those of the Commonwealth of Australia. The reader needs to be aware that the information contained in this works is not necessarily endorsed, and its contents may not have been approved or reviewed by the Australian Government Department of Health and Ageing.



References

- Aberdeen, S.M., S.G. Leggat, and S. Barraclough, *Concept mapping: A process to promote staff learning and problem-solving in residential dementia care*. *Dementia*, 2010. 9: p. 129-151.
- Alzheimer's Australia, *Quality dementia care: Position paper 2*. 2003, Canberra: Alzheimer's Australia.
- Barber, R., J.S. Snowden, and D. Craufurd, *Frontotemporal dementia and Alzheimer's disease: Retrospective differentiation using information from informants*. *Journal of Neurology, Neurosurgery and Psychiatry*, 1995. 59: p. 61-70.
- Blair, M., et al., *Behavioural measures in frontotemporal lobar dementia and other dementias: The utility of the Frontal Behavioural Inventory and the Neuropsychiatric Inventory in a national cohort study*. *Dementia and Geriatric Cognitive Disorders*, 2007. 23: p. 406-415.
- Boeve, B.F. and M. Hutton, *Refining frontotemporal dementia with parkinsonism linked to chromosome 17: Introducing FTDP-17 (MAPT) and FTDP-17 (PGRN)*. *Archives of Neurology*, 2008. 65: p. 460-464.
- Bozeat, S., et al., *Which neuropsychiatric and behavioural features distinguish frontal and temporal variants of frontotemporal dementia from Alzheimer's disease?* *Journal of Neurology Neurosurgery and Psychiatry*, 2000. 69: p. 178-186.
- Cairns, N.J., et al., *Neuropathologic diagnostic and nosologic criteria for frontotemporal lobar degeneration: Consensus of the Consortium for Frontotemporal Lobar Degeneration*. *Acta Neuropathologica*, 2007. 114: p. 5-22.
- Chow, T.W., *Treatment approaches to symptoms associated with frontotemporal degeneration*. *Current Psychiatry Reports*, 2005. 7: p. 376-380.
- Chow, T.W., *Goals in symptomatic pharmacologic management of frontotemporal lobar degeneration*. *American Journal of Alzheimer's Disease and Other Dementias*, 2002. 17: p. 267-272.
- Cummings, J.L., et al., *The Neuropsychiatric Inventory: Comprehensive assessment of psychopathology in dementia*. *Neurology*, 1994. 44: p. 2308-2314.



- Deakin, J.B., et al., *Paroxetine does not improve symptoms and impairs cognition in frontotemporal dementia: A double-blind randomised control trial*. *Pharmacology*, 2004. 172: p. 400-408.
- Dubois, B., et al., *The FAB: A frontal assessment battery at bedside*. *Neurology*, 2000. 55: p. 1621-1626.
- Duffy, J.R., *Managing primary progressive aphasia*.
http://www.aphasia.org/Aphasia%20Facts/managing_primary_progressive_aphasia.html. Retrieved 1 August 2011.
- Ferran, J., et al., *The early onset dementias: A study of clinical characteristics and service use*. *International Journal of Geriatric Psychiatry*, 1996. 11: p. 863-869.
- Folstein, M.F., S.E. Folstein, and P.R. McHugh, *'Mini-mental state': A practical method for grading the mental state of patients for clinicians*. *Journal of Psychiatric Research*, 1975. 12: p. 189-198.
- Gallarda, T. and J. Olie, *Biological therapies of behavioral and psychological symptoms of dementia: Update and prospects*. *Encephale*, 2000. 26: p. 72-80.
- Gorno-Tempini, M.L., et al., *Classification of primary progressive aphasia and its variants*. *Neurology*, 2011. 76(11): p. 1006-1014.
- Gorno-Tempini, M.L., et al., *Cognition and anatomy in three variants of primary progressive aphasia*. *Annals of Neurology*, 2004. 55(335-346).
- Gregory, C.A., J. Serra-Mesters, and J.R. Hodges, *Early diagnosis of the frontal variant of frontotemporal dementia: How sensitive are standard neuroimaging and neuropsychologic tests?* *Neuropsychiatry Neuropsychology and Behavioral Neurology*, 1999. 12: p. 128-135.
- Harvey, R.J., et al., *Young onset dementia: Epidemiology, clinical symptoms, family burden, support and outcome*.
<http://home.kosha.net/~h1415c/report.pdf>, 1998.
- Hodges, J.R., et al., *Younger onset dementia: A practical guide*. Quality Dementia Care Series. Alzheimer's Australia.
- Hodges, J.R., *Cognitive assessment for clinicians*. 2007, Oxford: Oxford University Press.
- Hodges, J.R., et al., *Survival in frontotemporal dementia*. *Neurology*, 2003. 61: p. 349-354.



- Hodges, J.R., *Frontotemporal dementia (Pick's disease): Clinical features and assessment*. Neurology, 2001. 56(Supp. 4): p. S6-S10.
- Johnson, J.K., et al., *Frontotemporal lobar degeneration: Demographic characteristics of 353 patients*. Archives of Neurology, 2005. 62: p. 925-930.
- Josephs, K.A., et al., *Neuropathological background of phenotypical variability in frontotemporal dementia*. Acta Neuropathologica, 2011. Published online 26 May 2011.
- Kertesz, A. and P. McMonagle, *Behavior and cognition in corticobasal degeneration and progressive supranuclear palsy*. Journal of the Neurological Sciences, 2010. 289: p. 1-160.
- Kertesz, A., et al., *Behavioral quantitation is more sensitive than cognitive testing in frontotemporal dementia*. Alzheimer's Disease and Associated Disorders, 2003. 17: p. 223-229.
- Kertesz, A., et al., *The Frontal Behavioral Inventory in the differential diagnosis of frontotemporal dementia*. Journal of the International Neuropsychological Society, 2000. 6: p. 460-468.
- Kertesz, A., W. Davidson, and H. Fox, *Frontal behavioural inventory: Diagnostic criteria for frontal lobe dementia*. Canadian Journal of Neurological Sciences, 1997. 24: p. 29-36.
- Kindell, J., *Language and communication in fronto-temporal dementia and semantic dementia*. http://www.cerebralfunctionunit.co.uk/kindell_talk.html. Retrieved 2 May 2011.
- Kipps, C.M., et al., *Clinical significance of lobar atrophy in frontotemporal dementia: Application of an MRI visual rating scale*. Dementia and Geriatric Cognitive Disorders, 2007. 23: p. 334-342.
- Kitwood, T., *Towards a theory of dementia care: The interpersonal process*. Aging and Society, 1993. 13: p. 51-67.
- Knopman, D.S., et al., *Development of methodology for conducting clinical trials in frontotemporal lobar degeneration*. Brain, 2008. 131: p. 2957-2968.
- Le Ber, I., et al., *Demographic, neurological and behavioural characteristics and brain perfusion SPECT in frontal variant of frontotemporal dementia*. Brain, 2006. 129: p. 3051-3065.



- Lebert, F., et al., *Frontotemporal behavioral scale*. *Alzheimer's Disease and Associated Disorders*, 1998. 12: p. 335-339.
- Lillo, P. and J.R. Hodges, *Cognition and behaviour in motor neurone disease*. *Current Opinion in Neurology*, 2010. 23: p. 638-642.
- Lillo, P., et al., *Neurobehavioral features in frontotemporal dementia with amyotrophic lateral sclerosis*. *Archives of Neurology*, 2010. 67: p. 826-830.
- Liu, W., et al., *Behavioral disorders in the frontal and temporal variants of frontotemporal dementia*. *Neurology*, 2004. 62: p. 742-748.
- Lough, S. and V. Garfoot, *Psychological interventions in frontotemporal dementia*, in *Frontotemporal Dementia Syndromes*, J.R. Hodges, Editor. 2007, Cambridge University Press: New York. p. 277-325.
- Mackenzie, I.R.A., et al., *Heterogeneity of ubiquitin pathology in frontotemporal lobar degeneration: Classification and relation to clinical phenotype*. *Acta Neuropathologica*, 2006. 112: p. 539-549.
- Mathuranath, P.S., et al., *A brief cognitive test battery to differentiate Alzheimer's disease and frontotemporal dementia*. *Neurology*, 2000. 55: p. 1613-1620.
- Mendez, M.F., *Frontotemporal dementia: Therapeutic interventions*. *Frontiers of Neurology and Neuroscience*, 2009. 24: p. 168-178.
- Mendez, M.F., et al., *Preliminary findings: Behavioural worsening on donepezil in patients with frontotemporal dementia*. *American Journal of Geriatric Psychiatry*, 2007. 15: p. 84-87.
- Merrilees, J., et al., *Cognitive and behavioral challenges in caring for patients with frontotemporal dementia and amyotrophic lateral sclerosis*. *Amyotrophic Lateral Sclerosis*, 2010. 11: p. 298-302.
- Mesulam, M., et al., *Alzheimer and frontotemporal pathology in subsets of primary progressive aphasia*. *Annals of Neurology*, 2008. 63: p. 709-719.
- Mioshi, E., et al., *Clinical staging and disease progression in frontotemporal dementia*. *Neurology*, 2010. 74: p. 1591-1597.
- Mioshi, E., et al., *Activities of daily living in frontotemporal dementia and Alzheimer disease*. *Neurology*, 2007. 68: p. 2077-2084.



- Mioshi, E., et al., *The Addenbrooke's Cognitive Examination Revised (ACE-R): A brief cognitive test battery for dementia screening*. International Journal of Geriatric Psychiatry, 2006. 21: p. 1078-1085.
- Mitsuyama, Y. and T. Inoue, *Clinical entity of frontotemporal dementia with motor neuron disease*. Neuropathology, 2009. 29: p. 649-654.
- Moretti, R., et al., *Rivastigmine in frontotemporal dementia: An open-label study*. Drugs Aging, 2004. 21: p. 931-937.
- Moretti, R., et al., *Frontotemporal dementia: Paroxetine as a possible treatment of behavior symptoms. A randomized, controlled, open 14-month study*. European Neurology, 2003. 49: p. 13-19.
- Moretti, R., et al., *Olanzapine as a treatment of neuropsychiatric disorders of Alzheimer's disease and other dementias: A 24-month follow-up of 68 patients*. American Journal of Alzheimer's Disease and Other Dementias, 2003. 18: p. 205-214.
- Morris, J.C., *The Clinical Dementia Rating (CDR): Current version and scoring rules*. Neurology, 1993. 43: p. 2412-2414.
- Nagahama, Y., et al., *The Cambridge Behavioural Inventory: Validation and application in a memory clinic*. Journal of Geriatrics, Psychiatry and Neurology, 2006. 19: p. 220-225.
- Neary, D., J. Snowden, and D. Mann, *Frontotemporal dementia*. Lancet Neurology, 2005. 4: p. 771-780.
- Neary, D., et al., *Frontotemporal lobar degeneration: A consensus on clinical diagnostic criteria*. Neurology, 1998. 51: p. 1546-1554.
- Neumann, M., *Molecular neuropathology of TDP-43 proteinopathies*. International Journal of Molecular Science, 2009. 10: p. 232-246.
- Osher, J.E., et al., *The mini-mental state examination in behavioral variant frontotemporal dementia and primary progressive aphasia*. American Journal of Alzheimer's Disease and Other Dementias, 2008. 22: p. 468-473.
- Piguet, O., et al., *Behavioural-variant frontotemporal dementia: Diagnosis, clinical staging, and management*. Lancet Neurology, 2011. 10: p. 162-172.



- Piguet, O., et al., *Clinical phenotypes in autopsy-confirmed Pick disease*. *Neurology*, 2011. 76(253-259).
- Ratnavalli, E., et al., *The prevalence of frontotemporal dementia*. *Neurology*, 2002. 58: p. 1615-1621.
- Rohrer, J.D., et al., *The heritability and genetics of frontotemporal lobar degeneration*. *Neurology*, 2009. 3: p. 1451-1456.
- Rosen, H.J., et al., *Behavioural features in semantic dementia vs other forms of progressive aphasia*s. *Neurology*, 2006. 67: p. 1752-1756.
- Rosso, S.M., et al., *Frontotemporal dementia in the Netherlands: Patient characteristics and prevalence estimates from a population-based study*. *Brain*, 2003. 126: p. 2016-2022.
- Schulz, R. and L.M. Martire, *Family caregiving of persons with dementia: Prevalence, health effects, and support strategies*. *American Journal of Geriatric Psychiatry*, 2004. 12: p. 240-249.
- Seelaar, H., et al., *Clinical, genetic and pathological heterogeneity of frontotemporal dementia: A review*. *Journal of Neurology, Neurosurgery and Psychiatry*, 2011. 82(476-486).
- Shigenobu, K., et al., *The stereotypy rating inventory for frontotemporal lobar degeneration*. *Psychiatry Research*, 2002. 110: p. 175-187.
- Snowden, J., *Frontotemporal dementia: Correlations between pathology and function, in Executive Functions and the Frontal Lobes*, V. Anderson, R. Jacobs, and A. P.J., Editors. 2008, Psychology Press, Taylor & Francis Group, LLC: New York.
- Snowden, J.S., et al., *Emotion recognition in Huntington's disease and frontotemporal dementia*. *Neuropsychologia*, 2008. 46: p. 2638-2649.
- Snowden, J., *Understanding behaviour in frontotemporal and semantic dementia*. http://www.cerebralfunctionunit.co.uk/ftld_behaviour2.html, 2007. Retrieved 2 May 2011
- Snowden, J.S., D. Neary, and D.M.A. Mann, *Autopsy proven, sporadic frontotemporal dementia due to microvacuolar-type histology, with onset at 21 years of age*. *Journal of Neurology, Neurosurgery and Psychiatry*, 2004. 75: p. 1337-1339.
- Snowden, J.S., et al., *Social cognition in frontotemporal dementia and Huntington's disease*. *Neuropsychologia*, 2003. 41: p. 688-701.



- Snowden, J.S., D. Neary, and D.M. Mann, *Frontotemporal dementia*. *British Journal of Psychiatry*, 2002. 180: p. 140-143.
- Srikanth, S., A.V. Nagaraja, and E. Ratnavalli, *Neuropsychiatric symptoms in dementia-frequency, relationship to dementia severity and comparison in Alzheimer's disease, vascular dementia and frontotemporal dementia*. *Journal of the Neurological Sciences*, 2005. 236: p. 43-48.
- Swartz, J.R., et al., *Frontotemporal dementia: Treatment response to serotonin selective reuptake inhibitors*. *Journal of Clinical Psychiatry*, 1997. 58: p. 212-216.
- Torralva, T., et al., *INECO Frontal Screening (IFS): A brief, sensitive, and specific tool to assess executive functions in dementia*. *Journal of the International Neuropsychological Society*, 2010. 16: p. 737, 777-786.
- Varma, A., *Neuroimaging in frontotemporal dementia and semantic dementia*. *Cerebral Function Unit*, 2007.
<http://www.cerebralfunctionunit.co.uk/neuroimaging.html>. Retrieved 2 May 2011.
- Wear, H.J., et al., *The Cambridge Behavioural Inventory revised*. *Dementia & Neuropsychologia*, 2008. 2: p. 102-107.
- Wedderburn, C., et al., *The utility of the Cambridge Behavioural Inventory in neurodegenerative disease*. *Journal of Neurology, Neurosurgery and Psychiatry*, 2008. 79: p. 500-503.